


Pilot's Guide to Washington Airports



Washington State
Department of Transportation
Aviation Division

Pilot's Guide

to Washington Airports



**Washington State
Department of Transportation**

Aviation Division
3704 172nd Street NE, Suite K2
Arlington, Washington 98223

(360) 651-6300
1-800-552-0666 (inside WA only)

Fax (360) 651-6319
Website: www.wsdot.wa.gov/aviation

Introduction

Washington State Department of Transportation (WSDOT) Aviation is responsible for furthering the public interest and aviation progress by providing for the protection and promotion of safety in aviation. The publication of a convenient and useful directory of public airports and related facilities is regarded by the Division to serve both the public interest and the promotion of aviation safety.

WSDOT Aviation does not assume responsibility for incomplete or inaccurate information contained herein due to problems in obtaining current information on the ever-changing airport conditions and service facilities.

For complete safety information, the pilot should consult the *Aeronautical Information Manual* (AIM), FAA Airport Facility Directory (AFD), or current navigation charts for safety of flight information. Additionally, the pilot should contact the Flight Service Station to determine conditions at an unfamiliar airport.

You are responsible for the safety of your flight.

This Guide design is based on written and verbal requests and suggestions made by you, the pilot. We are here to serve and encourage you to contact us with your comments, suggestions, and requests. We do save the comments and when it is time to publish the next edition, we will review the comments and suggestions for implementation in our next design.

Editor

This version of the Washington Airports Pilot's Guide was edited by
WSDOT Aviation

Credits

WSDOT Aviation wishes to thank the
WSDOT Graphics Office

and the Washington State Department of Printing
for their assistance in the preparation of this guide.

Revision June 2004

0404-0107



On behalf of the Washington State Department of Transportation, welcome to Washington airports. As Director of Aviation and an active pilot, I am pleased to present to you the latest edition of the *Pilot's Guide to Washington Airports*. While there are many facility directories available, we have worked hard to make our guide useful, informative, and easy to use.

Whether for business or pleasure, I hope you will have the opportunity to visit one or more of the diverse public airports in Washington. You will find airports located conveniently in or near almost every community or geographic area in the state. Some of my personal favorites include the back country airports operated by our agency.

The Washington Aviation System is an important part of the overall transportation system. The maintenance of Washington's airports depends in part on fees generated by pilot and aircraft registration. This guide is just one of the benefits you will receive by being a registered aviator in Washington.

Thank you for your ongoing support of the Washington Aviation System. Your suggestions and comments are always appreciated.

Best wishes for a safe and pleasant flight!

John Sibold
Director of Aviation
Washington State Department of Transportation
siboldj@wsdot.wa.gov

State Owned and Operated Emergency/Recreation Airports

WSDOT Aviation operates 16 airports, offering a gateway to the beautiful backcountry of Washington State. The airfields, located primarily in regions that experience extreme climatic conditions, also provide strategic landing or staging sites for emergency medical air response, transport, evacuation points, and fire fighting.

In addition to facilitating essential emergency operations, the state airports also supply a wide range of recreational opportunities for Washington residents and visitors. Many airfields have developed campgrounds that range from primitive to modern. Camping, hiking, and fishing can be enjoyed at all of the airports, in many cases, without even leaving a facility.

The Adopt-an-Airport Program for the state airports has promoted a higher level of care for those remote strips, while greatly increasing general usage. This enables pilots from all over the state to participate in the state aviation at a grass roots level, helping to preserve these important assets and protect the future of aviation.

Airport are seasonal due to soft fields.

State Owned and Operated Emergency/Recreation Airports

(Continued)



State Airport	Located Near (City/County)	Page
Avey	Laurier, Ferry County.....	55
Bandera.....	Bandera, King County	6
Copalis Beach	Copalis Beach, Grays Harbor	28
Easton.....	Easton, Kittitas County.....	32
Lake Wenatchee	Leavenworth, Chelan County.....	56
Little Goose Dam	Starbuck, Columbia County.....	112
Lower Granite	Colfax, Whitman County	23
Lower Monumental.....	Kahlotus, Walla Walla County	49
Methow Valley.....	Winthrop, Okanogan County.....	134
Ranger Creek	Greenwater, Pierce County	45
Rogersberg	Anatone, Asotin County.....	96
Skykomish	Skykomish, King County	104
Stehekin	Stehekin, Chelan County	113
Sullivan Lake.....	Metaline Falls, Pend Oreille County	64
Tieton	Rimrock, Yakima County.....	92
Woodland.....	Woodland, Cowlitz County	135

Abbreviations

The following abbreviations are used in this guide.

APP	Approach Control
ARTCC	Air Route Traffic Control Center
ASOS	Automated Surface Observing System
ATIS	Automatic Terminal Information Service
AWOS	Automatic Weather Observation System
CL DEL	Clearance Delivery
CTAF	Common Traffic Advisory Frequency
DEP	Departure Control
DME	Distance Measuring Equipment
EFAS	Enroute Flight Advisory Service...122.0
FSS	Flight Service Station
GRND	Ground Control
HIRL	High Intensity Runway Lights
ILS	Instrument Landing System
L	Lighted
LIRL	Low Intensity Runway Lights
LOC	Localizer
LOM	Locator at Outer Marker
MIRL	Medium Intensity Runway Lights
MSL	Mean Sea Level
NDB	Nondirectional Beacon
NM	Nautical Miles
NSTD	Non Standard
PCL	Pilot Controlled Lighting
RCO	Remote Communications Outlet
REIL	Runway End Identifier Lights
RWY	Runway
SPB	Seaplane Base
TPA	Traffic Pattern Altitude (MSL)
UNICOM	Radio Advisory
VASI	Visual Approach Slope Indicator
VDF	VHF Direction Finding Equipment
VOR	VHF Omni Range
VOT	VOR Receiver Accuracy Test Facility
	Lighted Runway
	Pilot Controlled Runway Lights
	Windsock (approximate location)
	Windsock Lighted (approximate location)
	Runway closed

Airport Index

City	Airport	Page
Almira	J-Z	1
Anacortes	Anacortes	2
Anacortes	Skyline SPB	3
Arlington	Arlington Municipal	4
Auburn	Auburn Municipal	5
Bandera	Bandera State	6
Battle Ground	Cedars North	7
Battle Ground	Goheen	8
Bellingham	Bellingham International	9
Bellingham	Floathaven SPB.....	10
Blaine	Blaine Municipal	11
Bremerton	Bremerton National	12
Brewster	Anderson Field.....	13
Burlington/Mt. Vernon	Skagit Regional (Bayview)	14
Camas	Grove Field	15
Cashmere	Cashmere-Dryden	16
Chehalis	Chehalis-Centralia	17
Chelan	Chelan Municipal	18
Chewelah	Sand Canyon	19
Clayton	Cross Winds	20
Cle Elum	Cle Elum Municipal	21
Cle Elum	De Vere Field.....	22
Colfax	Lower Granite State	23
Colfax	Whitman County Memorial	24
College Place	Martin Field.....	25
Colville	Colville Municipal	26
Concrete	Concrete Municipal	27
Copalis Beach	Copalis State.....	28
Dalles, The (Oregon)	The Dalles Municipal	119
Darrington	Darrington Municipal.....	29
Davenport	Davenport Municipal.....	30
Deer Park	Deer Park Municipal	31
Dryden (<i>Cashmere</i>)	Cashmere-Dryden	16
Easton	Easton State	32
Eastsound	Orcas Island.....	33
Eatonville	Swanson Field	34
Electric City	Grand Coulee Dam.....	35
Ellensburg	Bowers Field	36

Airport Index

City	Airport	Page
Elma	Elma Municipal	37
Ephrata	Ephrata Municipal	38
Everett	Snohomish County (Paine Field)	39
Forks	Forks Municipal	40
Friday Harbor	Friday Harbor	41
Friday Harbor	Friday Harbor SPB	42
Goldendale	Goldendale	43
Goldendale	Hillcrest	44
Greenwater	Ranger Creek State	45
Hoquiam	Bowerman Field	46
Ilwaco	Port Of Ilwaco	47
Ione	Ione Municipal	48
Kahlotus	Lower Monumental State	49
Kelso	Kelso-Longview	50
Kenmore (Lake Washington)	Kenmore Air Harbor	51
Kennewick	Vista Field	52
Kent	Crest Airpark	53
Lake Washington (<i>Kenmore</i>)	Kenmore Air Harbor (SPB)	51
Langley	Whidbey Airpark	54
Laurier	Avey Field State	55
Leavenworth	Lake Wenatchee State	56
Lind	Lind Municipal	57
Longview (<i>Kelso</i>)	Kelso-Longview	50
Lopez	Lopez Island	58
Lynden	Lynden Municipal	59
Mansfield	Mansfield	60
Mattawa	Desert Aire	61
Mazama	Lost River Resort	62
Mead	Mead Flying Service	63
Metaline Falls	Sullivan Lake State	64
Monroe	Firstair Field	65
Morton	Strom Field	66
Moses Lake	Grant County	67
Moses Lake	Moses Lake Municipal	68
Moscow, Idaho (<i>Pullman</i>)	Pullman-Moscow Regional	84
Mt. Vernon/Burlington	Skagit Regional (Bayview)	14

Airport Index

City	Airport	Page
Oak Harbor	Wes Lupien.....	69
Ocean Shores	Ocean Shores Municipal	70
Odessa	Odessa Municipal	71
Okanogan	Okanogan Legion	72
Olympia	Hoskins Field	73
Olympia	Olympia Municipal.....	74
Omak	Omak Municipal.....	75
Oroville	Dorothy Scott	76
Othello	Othello Municipal	77
Packwood	Packwood	78
Pasco	Tri-Cities	79
Port Angeles	Wm. R. Fairchild International	80
Port Townsend	Jefferson County	81
Poulsbo	Port of Poulsbo Marina Moorage (SPB)	82
Prosser	Prosser	83
Pullman-Moscow, Idaho	Pullman-Moscow Regional.....	84
Puyallup	Pierce County-Thun Field	85
Quillayute	Quillayute	86
Quincy	Quincy Municipal	87
Raymond/South Bend	Willapa Harbor.....	107
Renton	Renton Municipal	88
Renton	Will Rogers/Wiley Post Memorial (SPB).....	89
Republic	Ferry County	90
Richland	Richland	91
Rimrock	Tieton State	92
Ritzville	Pru Field	93
Roche Harbor	Roche Harbor SPB	94
Rochester	R & K Skyranch	95
Rogersberg.....	Rogersberg State.....	96
Rosalia	Rosalia Municipal	97
Rosario	Rosario SPB	98
Seattle	Boeing Field/King County International.....	99
Seattle	Seattle-Tacoma International	100
Sekiu	Sekiu	101
Sequim	Sequim Valley	102
Shelton	Sanderson Field	103
Skykomish	Skykomish State	104
Snohomish	Harvey Field	105

Airport Index

City	Airport	Page
South Bend/Raymond	Willapa Harbor	106
Spanaway	Shady Acres	107
Spanaway	Spanaway	108
Spokane	Felts Field	109
Spokane	Spokane International	110
Stanwood	Camano Island Airfield	111
Starbuck	Little Goose Lock & Dam State	112
Stehekin	Stehekin State.....	113
Sultan	Sky Harbor	114
Sunnyside	Sunnyside Municipal	115
Tacoma.....	American Lake SPB	116
Tacoma	Tacoma Narrows.....	117
Tekoa	Willard Field	118
The Dalles, Oregon	The Dalles Municipal	119
Toledo	Toledo - Winlock - Ed Carlson Memorial	120
Tonasket	Tonasket Municipal.....	121
Twisp	Twisp Municipal	122
Vancouver	Evergreen Field	123
Vancouver	Fly For Fun	124
Vancouver	Pearson Field.....	125
Vashon	Vashon Municipal	126
Walla Walla	Walla Walla Regional	127
Warden	New Warden	128
Waterville	Waterville.....	129
Wenatchee	Pangborn Memorial	130
Westport	Westport	131
Wilbur	Wilbur Municipal	132
Wilson Creek	Wilson Creek	133
Winlock (<i>Toledo</i>)	Toledo - Winlock - Ed Carlson Memorial	120
Winthrop	Methow Valley State	134
Woodland	Woodland State	135
Yakima	McAllister Field	136
Yelm	Western Airpark.....	137

Almira / J-Z / 1W0



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS
FSS
UNICOM.....


Navigation

Elevation: 1950'
Latitude: N 47° 43.33'
Longitude: W 118° 56.57'
PCL:
Runway: 16/34; 1900'x48';
Turf-Gravel
Lights:
Indicator: Wind
Obstacles Grain bins
From City 01 N
TPA:

Services

Fuel: None
Services: None
Manager: 509-639-2601

Anacortes / Anacortes / 74S



Communications

ATIS
Tower
CTAF 128.25
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS Whatcom VORTAC
113.0 167°
27.0 NM to field

FSS
UNICOM.....

Navigation

Elevation: 241'
Latitude: N 48° 49.94'
Longitude: W122° 39.74'
PCL: CTAF
Runway: 18/36; 3015'x60'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; seg circle
Obstacles: Ditches alongside runway
From City: 02 W
TPA:


Services

Fuel: 100
Services: Major Airframe and
Power Plant
Manager: 360-293-3134

Notes Right hand traffic runway 18.
Military arrival corridor.

Page
2

Anacortes / Skyline SPB / 21H



NW/SE; 5000'x2500'; Water

Communications

ATIS
Tower
CTAF 128.25
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....


Navigation

Elevation: 0
Latitude: N 48° 28.99'
Longitude: W 122° 41.08'
PCL:
Runway: NW/SE; 5000'x2500'; Water
Lights:
Indicator: Wind
Obstacles:
From City: 03 W
TPA:

Services

Fuel: None
Services: None
Manager: 360-293-3134

Arlington / Arlington Municipal / AWO



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM)
APP/DEP 128.5
LOC 111.5 RWY 34
VOT
CL DEL
NAVAIDS WATON NDB (LOM) 382
337° 5.1 NM to field
FSS
UNICOM 122.7
AWOS-3 135.625 / 360-435-8045

Navigation

Elevation: 137'
Latitude: N 48° 09.65'
Longitude: W 122° 09.54'
PCL: CTAF
Runway: 11/29; 3500'x75'; Asphalt
16/34; 5333'x100'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles
From City: 03 SW
TPA:

Services


Fuel: 100, 80, Jet A
Services: Major Airframe and
Power Plant
Manager: 360-403-3470

Notes

Right traffic runways 11 and 16. Glider, Ultralight, Hot Air Balloon activity. AWOS 135.625.

Page 4

Auburn / Auburn Municipal / S50



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP See SEATAC Airport
ILS/DME
VOT
CL DEL
NAVAIDS 116.8 SEA 130°
7.3 NM TO field
FSS
UNICOM 122.8

Navigation

Elevation: 57'
Latitude: N 47° 19.69'
Longitude: W 122° 13.59'
PCL: CTAF
Runway: 16/34; 3400'x75'; Asphalt
Lights: Dusk-dawn, Med
Activate VASI RWY 34;
REIL RYS 16 & 39
Indicator: Wind-L; Seg circle
Obstacles: Transmission lines N of field
From City: 02 N
TPA: 1057'

Services

Fuel: 100LL
Services: Major Airframe and
Power Plant
Manager: 253-333-6821

Notes

Right hand traffic runway 16.
Ultralights and hot air balloons prohibited. Watch for birds.

Page
5

Bandera / Bandera State / 4W0



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 1636'
Latitude: N 47° 23.44'
Longitude: W 121° 32.11'
PCL:
Runway: 08/26; 2344'x100'; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 14E North Bend
TPA: 2436'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes

Watch for pedestrians, vehicles and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
6

Battle Ground / Cedars North / W58



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP 133.0
ILS/DME
VOT
CL DEL
NAVAIDS 116.6 BTG 055
4 NM to field
FSS
UNICOM 122.9

Navigation

Elevation: 275'
Latitude: N 45° 45.87'
Longitude: W 122° 30.91'
PCL:
Runway: 08/26; 1960'x50'; Turf
Lights:
Indicator: Yes, Wind
Obstacles:
From City: 01 NW
TPA: 1100'


Services

Fuel: None
Services: None
Manager: 360-687-1208

Notes Transition between rwy and twy on marked twys only.

Page
7

Battle Ground / Goheen / W52



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 285'
Latitude: N 45° 49.66'
Longitude: W 122° 34.57'
PCL: CTAF
Runway: 07/25; 1500'x48'; Turf
15/33; 2600'x50'; Turf
Lights: LIRL-NSTD
Indicator: Wind
Obstacles:
From City: 03 NW
TPA:

Services


Fuel: 100
Services: Major Airframe and
Power Plant
Manager: 360-687-3038

Notes

Runway 07/25 for emergency use only.
Culvert in center of runway 15/33.

Page
8

Bellingham / Bellingham International / BLI



Communications

ATIS 134.45
Tower 124.9
CTAF 124.9
Ground 127.4
NDB (LOM) 338
APP/DEP Victoria approach 132.7
ILS/DME 108.5
VOT
CL DEL
NAVAIDS 113.0 BLI 150°
9.3 NM to field
FSS 122.15
UNICOM 122.95
ASOS 360-671-8688

Navigation

Elevation: 170'
Latitude: N 48° 47.57'
Longitude: W 122° 32.25'
PCL:
Runway: 16/34; 6701' x 150'; Asphalt
Lights: Dusk-dawn, High
Indicator: Wind-L, Seg circle
Obstacles: Trees
From City: 03 NW
TPA: 1200' fixed wing; 700' helo
2000' turbo

Services

Fuel: 100LL, Jet A
Services: Major Airframe and
Power Plant
Manager: 360-671-5674

Notes

Right hand traffic on runway 16.
Watch for birds.

Page
9

Bellingham / Floathaven SPB / 0W7



12/30; 10000' x 4000'; Water

Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 307'
Latitude: N 48° 43.69'
Longitude: W 122° 20.16'
PCL:
Runway: 12/30; 10000'x4000'; Water
Lights:
Indicator: Wind
Obstacles:
From City: 06 SE
TPA: 1107'


Services

Fuel: None
Services: None
Manager: 425-255-6500

Notes Watch for canoe, sailboat, and hang glider activity.

Page
10

Blaine / Blaine Municipal / 4W6



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 122.8

Navigation

Elevation: 70'
Latitude: N 48° 59.37'
Longitude: W 122° 43.91'
PCL:
Runway: 14/32; 2490'x40'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Brush, trees
From City: 01 E
TPA: 1000'

Services


Fuel: 100LL (24-hr fuel available
by credit card)
Services: Major Airframe and
Power Plant
Manager: 360-332-8311

Notes

Right hand traffic on runway 32.
Noise abatement. Depart to South; land to North.

Page
11

Bremerton / Bremerton National / PWT



Communications

ATIS
Tower
CTAF 123.05
Ground
NDB (LOM) 206 PWT on airport
APP/DEP Seattle 127.1
ILS/DME 111.1
VOT
CL DEL
NAVAIDS
FSS
UNICOM 123.05
AWOS-3 121.2 / 360-674-2811

Navigation

Elevation: 439'
Latitude: N 47° 29.57'
Longitude: W 122° 45.75'
PCL: CTAFA
Runway: 01/19; 6200'x150'; Asphalt
H1; 100'x100'; Asphalt
Lights: Dusk-dawn, High
Indicator: Wind-L; Seg circle
Obstacles: Trees, fence
From City: 07 SW
TPA: 1439'

Services


Fuel: A 100LL (24 hr fuel
available by credit card)
Services: Major Airframe and
Power Plant
Manager: 360-674-2381

Notes

Runway 01/19 closed to ultralights. Rotorcraft use right traffic pattern.
RH Traffic on Runway 01

Page
12

Brewster / Anderson Field / S97



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.0 MWH 325°
56.1 NM to field
FSS
UNICOM 122.8


Navigation

Elevation 914'
Latitude N 48° 06.29'
Longitude W 119° 43.24'
PCL CTAF
Runway: 07/25; 4000'x60'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg Circle
Obstacles: Trees, hill
From City: 03 E
TPA:

Services

Fuel 100LL Emergency Only
Services Major Airframe and
Power Plant
Manager 509-689-3464

Burlington / Mt. Vernon / Skagit Regional (Bayview) / BVS



Communications

ATIS 134.15 (Whidbey NAS)
Tower
CTAF 123.05
Ground
NDB (LOM) 240 at field
APP/DEP WHIDBEY 120.7
ILS/DME
VOT
CL DEL 124.15
NAVAIDS
FSS
UNICOM 123.05
AWOS-3 121.125 / 360-757-7767

Navigation

Elevation: 144'
Latitude: N 48° 28.25'
Longitude: W 122° 25.25'
PCL: CTAF
Runway: 04/22; 3000'x60'; Asphalt
10/28; 5477'x100'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 03 W
TPA: 1144'

Services

Fuel: 100 A
Services: Major Airframe and
Power Plant
Manager: 360-757-0011

Notes None.

Page
14

Camas / Grove Field / 1W1



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL 121.65 (Portland)
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 430'
Latitude: N 45° 37.67'
Longitude: W 122° 24.26'
PCL: CTAF
Runway: 07/25; 2710'x40'; Asphalt
Lights: CTAF
Indicator: Wind; Seg circle
Obstacles: Trees, telephone, and
power poles
From City: 03 N
TPA:

Services

Fuel: 100 80
Services: Major Airframe and
Power Plant
Manager: 360-835-2196

Cashmere / Cashmere-Dryden / 8S2



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM


Navigation

Elevation: 853'
Latitude: N 47° 30.89'
Longitude: W 120° 29.09'
PCL: 121.7
Runway 07/25; 1800'x50'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L
Obstacles: Trees
From City: 00 SW
TPA:

Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager: 509-782-5561

Chehalis / Chehalis-Centralia / CLS



Communications

ATIS
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 113.4 OLM 172°
18.0 NM to field
FSS
UNICOM..... 122.8

Navigation

Elevation: 174'
Latitude: N 46° 40.62'
Longitude: W 122° 58.97'
PCL: CTAF
Runway: 15/33; 5000'x150'; Concrete
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 01 W
TPA:

Services


Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 360-748-1230

Notes

Right hand traffic on runway 15.
Possible wildlife on runways.

Page
17

Chelan / Chelan Municipal / S10



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 303°
36.1 NM to field
FSS
UNICOM 122.9

Navigation

Elevation: 1263'
Latitude: N 47° 51.96'
Longitude: W 119° 56.56'
PCL: CTAF
Runway: 02/20; 3503'x60'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Road, trees
From City: 03 NE
TPA:


Services

Fuel: A 100LL
Services: Minor
Manager: 509-682-5976

Notes Right hand traffic on runway 02.

Page
18

Chewelah / Sand Canyon / 1S9



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 333°
FSS
UNICOM

Navigation

Elevation: 2075'
Latitude: N 48° 18.85'
Longitude: W 117° 44.60'
PCL: CTAF
Runway: 17/35; 3446'x48'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Trees, hill
From City: 02 N
TPA:


Services

Fuel: None
Services: None
Manager: 509-935-4852

Notes Right hand traffic on runway 17.

Page
19

Clayton / Cross Winds / C72



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 2150'
Latitude: N 47° 58.99'
Longitude: W 117° 32.56
PCL:
Runway: 13L/31R; 3800'x125'; Turf
13R/31L; 2065'x50'; Turf
Lights:
Indicator: Wind; Seg circle
Obstacles: Road, fence
From City: 02 SE
TPA: 3150'

Services


Fuel: None
Services: None
Manager: 509-276-2552

Notes

Right hand traffic on runways 13R and 31R. Airport closed winters.
Runway 13R/31L Ultralights. Turbulence and crosswinds.

Page
20

Cle Elum / Cle Elum Municipal / S93



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM.....

Navigation

Elevation: 1945'
Latitude: N 47° 10.99'
Longitude: W 120° 53.07'
PCL: CTAF
Runway: 07/25; 2560'x40'; Asphalt
Light: Med
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 01 E
TPA: 2945'

Services

Fuel: None
Services: None
Manager: 509-674-2262

Notes

Right hand traffic on runway 07. Trees in transition area.
Loose gravel on shoulders. Normally closed November thru April.

Page
21

Cle Elum / De Vere Field / 2W1



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 1800'
Latitude: N 47° 10.66'
Longitude: W 120° 51.16'
PCL:
Runway: 08/26; 2055'x30'; Asphalt
Lights: Phone request - Low
Indicator: Wind
Obstacles: Trees
From City: 03 E
TPA:

Services


Fuel: None
Services: Major Airframe and
Power Plant
Manager: 509-674-2627

Notes

Right hand traffic on runway 08.
For airport lighting, call manager. Field occasionally closed in winter.

Page
22

Colfax / Lower Granite State / 00W



Snake River

Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 719'
Latitude: N 46° 40.25'
Longitude: W 117° 26.34'
PCL:
Runway: 14/32; 3400'x50'; Gravel
Lights:
Indicator: Wind
Obstacles: Powerlines W and N
From City: 12 S
TPA: 1519'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
23

Colfax / Whitman County Memorial / S94



Communications

ATIS
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 109.0 PUW 305°
13.6 NM to field
FSS
UNICOM..... 122.8

Navigation

Elevation: 2171'
Latitude: N 46° 51.52'
Longitude: W 117° 24.85'
PCL: CTAF
Runway: 07/25; 3209'x60'; Asphalt
Lights: NSTD
Indicator: Wind-L
Obstacles:
From City: 03 SW
TPA: 3000'

Services


Fuel: 100
Services: None
Manager: 509-397-2061

Notes

Farm machinery may be operating in fields off both runway ends.
Some loose gravel on runway.

Page
24

College Place / Martin Field / S95



Communications

ATIS
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 116.4 ALW 255°
5.8 NM to field
FSS
UNICOM..... 122.8


Navigation

Elevation: 750'
Latitude: N 46° 02.74'
Longitude: W 118° 25.07'
PCL: 122.8
Runway: 05/23; 3850'x60'
Lights: Yes, NSTD
Indicator: Yes, Wind
Obstacles: Approach ends
From City: 01 W
TPA:

Services

Fuel: 100LL Mogas
Services: Major
Manager: 509-522-1847

Colville / Colville Municipal / 63S



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 122.8

Navigation

Elevation: 1878'
Latitude: N 48° 32.49'
Longitude: W 117° 53.07'
PCL: CTAF
Runway: 01/19; 2700'x40'; Asphalt
Lights:
Indicator: Wind
Obstacles:
From City: 01 E
TPA:


Services

Fuel: 100LL
Services: Major Airframe and
Power Plant
Manager: 509-684-1566

Notes Watch for deer on or near vicinity.

Page
26

Concrete / Concrete Municipal / 3W5



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 264'
Latitude: N 48° 31.62'
Longitude: W 121° 45.49'
PCL:
Runway: 07/25; 2580'x60'; Asphalt
H1; 40'x40'; Concrete
Lights:
Indicator: Wind
Obstacles: Hill, trees
From City: 01 S
TPA:

Services


Fuel: None
Services: None
Manager: 360-853-8401

Notes

Right hand traffic on runway 07.
Pay telephone on airport.

Page
27

Copalis Beach / Copalis State / S16



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 01'
Latitude: N 47° 07.49'
Longitude: W 124° 11.08'
Runway: 14/32; 4500'x150'; Sand
Lights:
Indicator:
Obstacles: Rocks
From City: 02 NW
TPA: 801'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes

Right hand traffic on runway 14. Watch for pedestrians, vehicles, and animals on runway. Land on damp sand. Consult tide tables.

Page
28

Darrington / **Darrington Municipal** / 1S2



N

Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 543'
Latitude: N 48° 15.49'
Longitude: W 121° 36.57'
PCL: CTAF
Runway: 10/28; 2490'x40'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Trees
From City: 00 N
TPA:

Services

Fuel: None
Services: None
Manager: 360-436-1454
360-436-1131

Notes

Turbulent air on hot days. Closed when snow on runway.
Taxiways marked with blue reflectors.

Page
29

Davenport / Davenport Municipal / 68S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 263°
22.6 NM to field
FSS
UNICOM

Navigation

Elevation: 2421'
Latitude: N 47° 39.22'
Longitude: W 118° 10.11'
PCL:
Runway: 03/21; 2185'x45'; Gravel
05/23; 3126'x50'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L
Obstacles: Trees
From City: 01 W
TPA:

Services

Fuel: 100LL
Services: Minor
Manager: 509-725-4352

Notes

Right hand traffic on runways 23 and 21.
Caution: Parachute jumping in area.

Page
30

Deer Park / Deer Park Municipal / DEW



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM) 216 on field
APP/DEP 123.75 (Spokane)
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 358°
25.4 NM to field
FSS
UNICOM..... 123.0
ASOS 135.175 / 509-276-2303

Navigation

Elevation: 2210'
Latitude: N 47° 58.00'
Longitude: W 117° 25.60'
PCL:
Runway: 04/22; 3200'x60'; Asphalt
16/34; 6100'x75'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 03 NE
TPA:


Services

Fuel: 100 LL
Services: Major Airframe and
Power Plant
Manager: 509-276-8663

Notes Model airplane activity. Heavy glider activity. Glider TPA 3206'.

Page
31

Easton / Easton State / ESW



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 2221'
Latitude: N 47° 15.24'
Longitude: W 121° 11.32'
PCL:
Runway: 09/27; 2640'x100'; Turf
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Trees
From City: 02 N
TPA: 3021'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet. Closed in winter.

Page
32

Eastsound / Orcas Island / ORS



Communications

ATIS
Tower
CTAF 128.25
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 31'
Latitude: N 48° 42.49'
Longitude: W 122° 54.63'
PCL: CTAF
Runway: 16/34; 2900'x60'; Asphalt
Lights: Dusk-dawn, Low
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 01 N
TPA: 1031'

Services


Fuel: 100 LL
Services: None
Manager: 360-376-5285

Notes

Right hand traffic on runway 34. Watch for deer on runway.
Observe noise abatement procedures.

Page
33

Eatonville / Swanson Field / 2W3



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 109.6 TCM 130°
18.8 NM to field
FSS
UNICOM

Navigation

Elevation: 850'
Latitude: N 46° 52.31'
Longitude: W 122° 15.44'
PCL: 122.8
Runway: 16/34; 2990'x36'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Trees in approach
From City: 01 NE
TPA: 1650'

Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager: 360-832-6215

Notes Right hand traffic on runway 16.
Watch for deer on airport.

Page
34

Electric City / Grand Coulee Dam / 3W7



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 002°
35.6 NM to field
FSS
UNICOM

Navigation

Elevation: 1590'
Latitude: N 47° 55.41'
Longitude: W 119° 04.83'
PCL: 122.9
Runway: 03/21; 4200'x75'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Hill
From City: 02 SW
TPA:


Services

Fuel: None
Services: None
Manager: 509-633-1946 (night)

Notes Right hand traffic on runway 21.

Page
35

Ellensburg / Bowers Field / ELN



Communications

ATIS
Tower
CTAF 123.0
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 117.9 ELN 259°
3.0 NM to field
FSS 122.2
UNICOM..... 123.0
ASOS 118.375 / 509-925-2040

Navigation

Elevation: 1763'
Latitude: N 47° 01.98'
Longitude: W 120° 31.84'
PCL: CTAF
Runway: 07/25; 5590'x150'; Asphalt
11/29; 4300'x150'; Asphalt
Lights: NSTD
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 N
TPA: 2597'


Services

Fuel: A 100
Services: Major Airframe and
Power Plant
Manager: 509-962-7523

Notes Runway 07/25 closed November 1 thru March 31.

Page
36

Elma / Elma Municipal / 4W8



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 122.8

Navigation

Elevation: 28'
Latitude: N 46° 59.42'
Longitude: W 123° 25.84'
PCL: CTAF
Runway: 07/25; 2275'x30'; Asphalt
Lights:
Indicator: Wind-L
Obstacles: Trees
From City: 01 SW
TPA: 828'


Services

Fuel: None
Services: None
Manager: 360-482-2228

Notes Right hand traffic on runway 07.

Page
37

Ephrata / Ephrata Municipal / EPH



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP 126.4 (Grant Cnty)
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 20°
5.7 NM to field
FSS 122.2
UNICOM 122.8
ASOS 135.775 / 509-754-3761

Navigation

Elevation: 1276'
Latitude: N 47° 18.46'
Longitude: W 119° 30.95'
PCL:
Runway: 02/20; 6700'x150'; Asphalt
11/29; 3843'x150'; Concrete
Lights: Dusk-dawn, High
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 SE
TPA:

Services


Fuel: 100LL
Services: Major Airframe and
Power Plant
Manager: 509-754-3508

Notes

Right hand traffic on runway 02. Heavy glider activity April thru October. AG operations April thru September.

Page
38

Everett / Snohomish County (Paine Field) / PAE



Communications

ATIS 128.65
Tower 132.95 (West of airport)
120.2 (East of airport)
CTAF 132.95
Ground 121.8
NDB (LOM) 396 158° 8.8 NM to field
APP/DEP 128.5
ILS/DME 109.3
VOT
CL DEL 126.75
NAVAIDS 110.6 PAE at field
FSS 122.55
UNICOM 122.95
ASOS 425-355-6192

Navigation

Elevation: 606'
Latitude: 47-54-27N
Longitude: 122-16-54W
PCL: CTAF
Runway: 11/29; 4504'x75'; Asphalt
16L/34R; 3000'x75'; Asphalt
16R/34L; 9010'x150';
Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L
Obstacles:
From City: 06 SW
TPA: 1606'

Services


Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 425-353-2110

Notes

Right hand traffic on runway 16R and 34R. Noise abatement procedures. Call Operations at 425-253-2110, ext. 2230.

Page
39

Forks / Forks Municipal / S18



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 296'
Latitude: N 47° 56.49'
Longitude: W 124° 23.58'
PCL:
Runway: 04/22; 2400'x75'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles:
From City: 01 SW
TPA:


Services

Fuel: 80
Services: None
Manager: 360-374-5412

Notes Right hand traffic on runway 22.

Page
40

Friday Harbor / Friday Harbor / FHR



Communications

ATIS 134.15 (Whidbey NAS)
Tower
CTAF 128.25
Ground
NDB (LOM) 284 FHR
APP/DEP 118.2 (Whidbey)
ILS/DME
VOT
CL DEL 124.15
NAVAIDS 113.0 BLI 195°
31.0 NM to airport
FSS
UNICOM 122.8
ASOS 135.675 / 360-378-8491

Navigation

Elevation: 113'
Latitude: N 48° 31.32'
Longitude: W 123° 01.46'
PCL: CTAF
Runway: 16/34; 3400'x75'; Asphalt
Lights: High
Indicator: Wind-L; Seg circle
Obstacles:
From City: 00 SW
TPA:


Services

Fuel: 100
Services: Major Airframe and
Power Plant
Manager: 360-378-4724

Notes Right hand traffic on runways 16 and 34.

Page
41

Friday Harbor / Friday Harbor SPB / W33



Communications

ATIS
Tower
CTAF 128.25
Long.....
IFR
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM.....

Navigation

Elevation: 0'
Latitude: N 48° 32.24'
Longitude: W 123° 00.58'
PCL:
Runway: 03/21; 10000'x2000'; Water
12/30; 6000'x1000'; Water
Lights:
Indicator: Wind
Obstacles:
From City: 00 NE
TPA: 800'

Services


Fuel: None
Services: None
Manager: 360-378-2688

Notes

Flashing warning light for boat traffic activated by 5 clicks on CTAF.

Page
42

Goldendale / Goldendale / S20



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.3 LTJ 036°
13.1 NM to field
FSS
UNICOM.....


Navigation

Elevation: 1660'
Latitude: N 45° 49.84'
Longitude: W 120° 50.25'
PCL:
Runway: 07/25; 3490'x40'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Fence, trees
From City: 01 NW
TPA:

Services

Fuel: None
Services: None
Manager: 509-773-3771

Goldendale / **Hillcrest** / S20



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 1660'
Latitude: N 45° 49.50'
Longitude: W 120° 50.15'
PCL:
Runway: 07/25; 3491' x 40'; Asphalt
Lights:
Indicator: Wind
Obstacles: Trees
From City: 01 NW
TPA:

Services

Fuel: None
Services: None
Manager: 509-773-5674

Notes

Runway 25 right hand traffic. Possible downdraft runway 07.
Watch for wildlife. Monitor 122.9 due to Goldendale City traffic.

Page
44

Greenwater / Ranger Creek State / 21W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 109.6 TCM 080°
39.3 NM to field
FSS
UNICOM.....

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 2650'
Latitude: N 47° 00.77'
Longitude: W 121° 32.01'
PCL:
Runway: 15/33; 2876'x30'; Asphalt
Lights:
Indicator:
Obstacles: Trees
From City: 10 SE
TPA: 3450'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes

Watch for pedestrians, vehicles, and animals on runway.
Closed October 15 thru May 15.

Page
45

Hoquiam / Bowerman Field / HQM



Communications

ATIS
Tower
CTAF 122.7
Ground.....
NDB (LOM) 236
APP/DEP
ILS/DME 108.7
VOT.....
CL DEL.....
NAVAIDS 117.7 HQM 062°
8.9 NM to field
FSS 122.2
UNICOM..... 122.7
ASOS 135.775 / 360-538-7021

Navigation

Elevation: 18'
Latitude: N 46° 58.27'
Longitude: W 123° 56.19'
PCL: CTAF
Runway: 06/24; 5000'x150'; Asphalt
Lights: Dusk-dawn, High
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 W
TPA:

Services


Fuel: A1+ 100LL 80
Services: Major Airframe and
Power Plant
Manager: 360-533-9528

Notes

Right hand traffic on runway 06. Watch for waterfowl on and in vicinity. Ultralights prohibited without written permission.

Page
46

Ilwaco / Port of Ilwaco / 7W1



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 8'
Latitude: N 46° 18.99'
Longitude: W 124° 00.08'
PCL: CTAF
Runway: 10/28; 2070'x50'; Asphalt
Lights: Dusk-dawn, NSTD
Indicator: Wind
Obstacles: Trees, road
From City: 02 E
TPA:


Services

Fuel: None
Services: None
Manager: 360-642-3143

Notes None.

Page
47

Ione / Ione Municipal / S23



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM) 379 at fld (VFR only)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 346°
69.4 NM to field
FSS
UNICOM.....

Navigation

Elevation: 2107'
Latitude: N 48° 42.44'
Longitude: W 117° 24.76'
PCL: CTAF
Runway: 15/33; 4037'x45'; Asphalt
H1: 60'x60'; Concrete
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles:
FromCity: 02 S
TPA:


Services

Fuel: None
Services: None
Manager: 509-442-3611

Notes Call ahead in winter for conditions.

Page
48

Kahlotus / Lower Monumental State / W09



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Notes: Use at own risk. Caution: density altitude. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 813'
Latitude: N 46° 33.03'
Longitude: W 118° 32.18'
PCL:
Runway: 01/19; 3300'x50'; Gravel
Lights:
Indicator: Wind
Obstacles: Powerline, high terrain
From City: 05 S
TPA: 1613'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
49

Kelso / Kelso-Longview / KLS



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM) 256 (2.3 miles to field)
APP/DEP 124.2 (Seattle)
ILS/DME
VOT
CL DEL
NAVAIDS 116.6 BTG 309°
25.7 NM to field
FSS 122.55
UNICOM 122.8
AWOS-3 135.075 / 360-577-1964

Navigation

Elevation: 20'
Latitude: N 46° 07.08'
Longitude: W 122° 53.90'
PCL: CTAF
Runway: 12/30; 4391'x100'; Asphalt
Lights: NSTD
Indicator: Wind-L; Seg circle
Obstacles: Tree, hill
From City: 02 SE
TPA:

Services


Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 360-425-3688

Notes

Right hand traffic on runway 12.
AWOS 135.075.

Page
50

Kenmore (Lake Washington) / Kenmore Air Harbor / S60



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 122.7

Navigation

Elevation: 14'
Latitude: N 47° 45.29'
Longitude: W 122° 15.56'
PCL:
Runway: 16/34; 10000'x1000'; Water
18/36; 3000'x1000'; Water
Lights:
Indicator:
Obstacles:
From City: 01 S
TPA: 814'


Services

Fuel: A 100
Services: Major Airframe and
Power Plant
Manager: 425-482-2242

Notes None.

Page
51

Kennewick / Vista Field / S98



Communications

ATIS 125.65 (Pasco)
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP 128.75 NNW; 133.5 SSE
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 108.4 PSC 216°
4.8 NM to field
FSS 122.4
UNICOM.....

Navigation

Elevation: 534'
Latitude: N 46° 13.12'
Longitude: W 119° 12.60'
PCL: CTAF
Runway: 02/20; 4008'x150'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L
Obstacles: Powerline, pole
From City: 03 NW
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 509-586-1186

Kent / Crest Airpark / S36



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM)
APP/DEP see SeaTac Airport
ILS/DME
VOT
CL DEL
NAVAIDS 116.8 SEA 106°
10.3 NM to field
FSS
UNICOM 123.0

Navigation

Elevation: 466'
Latitude: N 47° 20.23'
Longitude: W 122° 06.21'
PCL:
Runway: 15/33; 3288'x40'; Asphalt
Lights: Dusk-dawn, NSTD Low
Indicator: Wind
Obstacles: Trees both sides of runway
From City: 05 SE
TPA: 1466'

Services


Fuel: 100 LL
Services: Major Airframe and
Power Plant
Manager: 360-631-7100

Notes

24 hour credit card fuel available.
Night operations use runway 15, wind permitting.

Page
53

Langley / Whidbey Airpark / W10



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 260'
Latitude: N 48° 01.09'
Longitude: W 122° 26.31'
PCL:
Runway: 16/34; 2400'x25'; Asphalt
Lights: NSTD
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 02 SW
TPA:

Services

Fuel: None
Services: None
Manager: 360-341-5531

Laurier / Avey Field State / 69S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 1655'
Latitude: N 48° 59.99'
Longitude: W 118° 13.52'
PCL:
Runway: 17/35; 1975'x40'; Gravel
Lights:
Indicator: Wind
Obstacles: Fence, trees
From City: 02 SW
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information. Canadian and U.S. customs.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Closed in winter.

Page
55

Leavenworth / Lake Wenatchee State / 27W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 1936'
Latitude: N 47° 49.16'
Longitude: W 120° 43.19'
PCL:
Runway: 09/27; 2474'x100'; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 14 NW
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet. Closed in winter.

Page
56

Lind / Lind Municipal / OSO



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....


Navigation

Elevation: 1491'
Latitude: N 46° 58.66'
Longitude: W 118° 35.15'
PCL:
Runway: 05/23; 3200'x50'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L
Obstacles:
From City: 02 NE
TPA:

Services

Fuel: None
Services: None
Manager: 509-677-3241

Lopez / Lopez Island / S31



Communications

ATIS
Tower
CTAF 128.25
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 356 NDB at field (VFR only)
FSS
UNICOM

Navigation

Elevation: 209'
Latitude: N 48° 29.04'
Longitude: W 122° 56.26'
PCL:
Runway: 16/34; 2904'x60'; Asphalt
Lights: Dusk-dawn, Low
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 03 S
TPA:

Services

Fuel: None
Services: None
Manager: 360-468-2920

Notes

Right hand traffic on runway 16.
Runway marked with reflectors.

Page
58

Lynden / Lynden Municipal / 38W



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM.....

Navigation

Elevation: 105'
Latitude: N 48° 57.35'
Longitude: W 122° 27.49'
PCL: CTAF
Runway: 07/25; 2425'x40'; Asphalt
Lights: NSTD
Indicator: Wind; Seg circle
Obstacles: Fence, road
From City: 01 N
TPA:

Services

Fuel: 100LL
Services: Major Airframe
Manager: 360-354-5033

Notes Night landings should be performed on runway 07, wind permitting.

Page
59

Mansfield / **Mansfield** / 8W3



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 2276'
Latitude: N 47° 48.58'
Longitude: W 119° 38.24'
PCL:
Runway: 03/21; 2570'x46'; Asphalt
Lights: Dusk-dawn, NSTD, Med
Indicator: Wind
Obstacles: Pole
From City: 00 E
TPA:

Services

Fuel: None
Services: None
Manager: 509-884-4700

Notes None.

Page 60

Mattawa / Desert Aire / M94



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.0 MWH 200°
40 NM to field
FSS
UNICOM

Navigation

Elevation: 570'
Latitude: N 46° 41.24'
Longitude: W 119° 55.18
PCL: 122.8
Runway: 10/28; 3665' x 36'; Asphalt
Lights: Med
Indicator: Wind
Obstacles:
From City: 03 SW
TPA:

Services

Fuel: None
Services: None
Manager: 509-932-5403

Notes Right hand traffic on runway 28.

Page
61

Mazama / Lost River Resort / W12



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 2415'
Latitude: N 48° 38.98'
Longitude: W 120° 30.12'
PCL:
Runway: 11/29; 3150'x85';
Turf-Gravel
Lights:
Indicator: Wind
Obstacles: Road
From City: 05 NW
TPA:

Services

Fuel: None
Services: None

Notes

Right hand traffic on runway 11. Watch for vehicles on runway.
Airport closed November 1 thru April 1.

Page
62

Mead / Mead Flying Service / 70S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP See Spokane Int'l.
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 1900'
Latitude: N 47° 47.49'
Longitude: W 117° 21.06'
PCL:
Runway: 16/34; 2480'x30'; Asphalt
Lights:
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 01 N
TPA: 2500'

Services

Fuel: None
Services: None
Manager: 509-466-3007

Notes

No winter maintenance. Soft ground in spring.
Skydiving operations.

Page
63

Metaline Falls / Sullivan Lake State / 09S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 2614'
Latitude: N 48° 50.27'
Longitude: W 117° 17.02'
PCL:
Runway: 16/34; 1765'x150'; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 03 SE
TPA: 3414'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
64

Monroe / Firstair Field / W16



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 50'
Latitude: N 47° 52.29'
Longitude: W 121° 59.72'
PCL:
Runway: 07/25; 2095'x34'; Asphalt
Lights:
Indicator: Wind
Obstacles: Trees
From City: 02 NW
TPA:

Services

Fuel: 100
Services: Major Airframe and
Power Plant
Manager: 360-794-8251

Notes

Right hand traffic on runway 07. Night operations discouraged.
Caution: Parachute operations in area.

Page
65

Morton / Strom Field / 39P



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 950'
Latitude: N 46° 33.02'
Longitude: W 122° 15.99'
PCL: CTAF
Runway: 07/25; 1800'x35'; Asphalt
Lights: Dusk-dawn, NSTD, Med
Indicator: Wind
Obstacles: Powerlines and trees to W
From City: 00 SE
TPA:


Services

Fuel: None
Services: None
Manager: 360-496-6881

Notes None.

Page 66

Moses Lake / Grant County / MWH



Communications

ATIS 119.05
Tower 118.25 (East) 128.0 (West)
CTAF 118.25
Ground 121.9
NDB (LOM) 408 (PELLY)
APP/DEP 126.4 134.35
ILS/DME 109.5
VOT.....
CL DEL.....
NAVAIDS 115.0 MWH at field
FSS 122.4
UNICOM..... 122.95
ASOS 509-762-5082

Services

Fuel: A 100 100LL JET A1
Services: Major Airframe and
Power Plant
Manager:..... 509-762-5363


Navigation

Elevation: 1185'
Latitude: N 47° 12.46'
Longitude:..... W 119° 19.21'
PCL:
Runway: 04/22; 10000'x100';
Asphalt-Concrete
14L/32R; 13503'x200';
Asphalt-Concrete
14R/32L; 2937'x75';
Concrete
18/36; 3307'x75'; Asphalt
09/27; 4500'x90'; Concrete
Lights: Dusk-dawn, NSTD
Indicator:..... Wind-L; Seg circle
Obstacles:
From City: 05 NW
TPA:

Notes Right hand traffic on runways 18 and 32R.

Page
67

Moses Lake / Moses Lake Municipal / W20



Communications

ATIS 119.05 (Grant County)
Tower
CTAF 123.0
Ground.....
NDB (LOM)
APP/DEP 126.4;
134.35 (Grant County)
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM..... 123.0

Navigation

Elevation: 1205'
Latitude: N 47° 08.52'
Longitude: W 119° 14.27'
PCL:
Runway: 16/34; 2513'x50; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 02 NE
TPA:

Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager: 509-760-4470

Notes

Right hand traffic on runway 34.
Caution: Large aircraft operating in area.

Page
68

Oak Harbor / Wes Lupien / 76S



Communications

ATIS 134.15 (Whidbey NAS)
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP 118.2 (Whidbey)
ILS/DME
VOT
CL DEL
NAVAIDS 117.2 CVV 060° 2.1 NM
FSS
UNICOM 122.8

Navigation

Elevation: 189'
Latitude: N 48° 15.09'
Longitude: W 122° 40.41'
PCL:
Runway: 07/25; 3255'x25'; Asphalt
Lights: NSTD
Indicator: Wind
Obstacles: Trees
From City: 03 SW
TPA:

Services

Fuel: 100LL
Services: Minor Airframe and
Power Plant
Manager: 360-929-6802

Notes

Right hand traffic on runway 07.
Ultralights and gliders prohibited.

Page
69

Ocean Shores / Ocean Shores Municipal / W04



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS 122.4
UNICOM.....

Navigation

Elevation: 13'
Latitude: N 47° 00.22'
Longitude: W 124° 08.63'
PCL: 122.8
Runway: 15/33; 2700'x50'; Asphalt
Lights: Dusk-dawn, NSTD
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 02 NE
TPA: 813'

Services


Fuel: None
Services: None
Manager: 360-289-3331

Notes

Right hand traffic on runway 33.
Watch for seabirds.

Page
70

Odessa / Odessa Municipal / 43D



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 071°
30.6 NM to field
FSS
UNICOM


Navigation

Elevation: 1725'
Latitude: N 47° 21.49'
Longitude: W 118° 40.40'
PCL: 122.8
Runway: 02/20; 3125'x60'; Asphalt
Lights: Med
Indicator: Wind
Obstacles: Trees
From City: 01 N
TPA: 2525'

Services

Fuel: 80
Services: None
Manager: 509-982-2320

Okanogan / Okanogan Legion / S35



Communications

ATIS
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS..... 115.5 GEG 281°
91.7 NM to field
FSS
UNICOM..... 122.8

Navigation

Elevation: 1043'
Latitude: N 48° 21.74'
Longitude: W 119° 34.07'
PCL:
Runway: 04/22; 2500'x36'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Hill
From City: 01 E
TPA:

Services

Fuel: None
Services: None
Manager: 509-422-0717

Olympia / Hoskins Field / 44T



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 213'
Latitude: N 46° 59.56'
Longitude: W 122° 49.66'
PCL:
Runway: 07/25; 2015'x116'; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 05 SE
TPA: 1013'


Services

Fuel: None
Services: None
Manager: 360-491-6723

Notes None.

Page
73

Olympia / Olympia Municipal / OLM



Communications

ATIS
Tower 124.4
CTAF 124.4
Ground 121.6
NDB (LOM)
APP/DEP 121.1 (Seattle)
ILS/DME 111.9
VOT
CL DEL
NAVAIDS 113.4 OLM at field
FSS
UNICOM 122.95
ASOS 135.725 / 360-754-0781

Navigation

Elevation: 206'
Latitude: N 46° 58.23'
Longitude: W 122° 54.13'
PCL: CTAFA
Runway: 08/26; 4157'x150'; Asphalt
17/35; 5419'x150'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 04 S
TPA: 1006'

Services


Fuel: A 100 100LL 80 Jet A
Services: Major Airframe and
Power Plant
Manager: 360-528-8079

Notes

Right hand traffic on runways 08 and 35.
Coyotes on runway.

Page
74

Omak / Omak Municipal / OMK



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM) 219 at field
APP/DEP 126.1 (Seattle)
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 285°
 93.4 NM to field
FSS 122.2
UNICOM 122.8
ASOS 118.325 / 509-826-2655

Navigation

Elevation: 1305'
Latitude: N 48° 27.87'
Longitude: W 119° 31.08'
PCL: CTAF
Runway: 17/35; 4654'x150'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles:
From City: 03 N
TPA:

Services

Fuel: A 100LL Jet A
Services: Major Airframe and
 Power Plant
Manager: 509-826-1170

Notes For fuel after hours 509-421-5187.

Page
75

Oroville / Dorothy Scott / OS7



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 1064'
Latitude: N 48° 57.54'
Longitude: W 119° 24.72'
PCL: CTAF
Runway: 15/33; 4014'x50'; Asphalt
Lights: Dusk-dawn, NSTD, Med
Indicator: Wind-L; Seg circle
Obstacles: Road
From City: 02 NE
TPA:

Services

Fuel: 100LL 80
Services: Major Airframe and
Power Plant
Manager: 509-476-2106

Notes

Right hand traffic on runway 15.
Customs phone 509-476-3514.

Page
76

Othello / Othello Municipal / S70



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 108.4 PSC 342°
32.0 NM to field
FSS
UNICOM.....

Navigation

Elevation: 1145'
Latitude: N 46° 47.69'
Longitude: W 119° 04.82'
PCL:
Runway: 07/25; 4200'x45'; Asphalt
Lights: Dusk-dawn, Med
Indicator..... Wind
Obstacles: Trees
From City: 04 SE
TPA:

Services

Fuel: A 100 Jet A
Services: None
Manager: 509-488-2544

Notes For fuel after hours, call 509-388-5590 or 509-388-5284.

Page
77

Packwood / Packwood / 55S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM


Navigation

Elevation: 1053'
Latitude: N 46° 36.24'
Longitude: W 121° 40.67'
PCL: 122.9
Runway: 01/19; 2262'x38'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Trees, fence
From City: 00 W
TPA:

Services

Fuel: None
Services: None
Manager: 360-740-1146

Pasco / Tri-Cities / PSC



Communications

ATIS 125.65
Tower 135.3
CTAF 135.3
Ground 121.8
NDB (LOM) 331 (DUNEZ 205° 6.3 NM)
APP/DEP 128.75 N and W;
133.15 S and E
ILS/DME 108.7
VOT
CL DEL 120.0
NAVAIDS 108.4 at field
FSS 122.4
UNICOM 122.95

Navigation

Elevation: 407'
Latitude: N 46° 15.88'
Longitude: W 119° 07.14'
PCL: CTAF
Runway: 03L/21R; 7700'x150';
Asphalt
03R/21L; 4425'x75'; Asphalt
12/30; 7700'x150'; Asphalt
Lights: Dusk-dawn
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 NW
TPA: 1407'

Services

Fuel: A1+ 100LL
Services: Major Airframe and
Power Plant
Manager: 509-547-6352

Notes Right hand traffic on runways 03R and 21R.

Page
79

Port Angeles / Wm. R. Fairchild International / CLM



Communications

ATIS 134.15
Tower
CTAF 123.0
Ground.....
NDB (LOM) 515 (ELWHA 7.1 NM)
APP/DEP 118.2
ILS/DME 108.9
VOT.....
CL DEL..... 124.15
NAVAIDS 112.2 TOU 081°
46.5 NM to airport
FSS 122.6
UNICOM..... 123.0
ASOS 135.175 / 360-457-1070

Navigation

Elevation: 291'
Latitude: N 48° 07.21'
Longitude: W 123° 29.98'
PCL: CTAF
Runway: 08/26; 6347'x150'; Asphalt
13/31; 3245'x50'; Asphalt
Lights: Dusk-dawn
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 03 NW
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 360-457-1138

Notes Right hand traffic on runways 26 and 31.

Page
80

Port Townsend / Jefferson County / OS9



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 110.6 PAE 271°
FSS
UNICOM 123.0

22.9 NM to field

Navigation

Elevation: 107'
Latitude: N 48° 03.23'
Longitude: W 122° 48.64'
PCL: CTAF
Runway: 09/27; 3001'x75'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Hill, tree
From City: 04 SW
TPA:

Services

Fuel: 100LL 80
Services: Major Airframe and
Power Plant
Manager: 360-385-0656

Notes

Right hand traffic on runway 09.
Radio control, model aircraft may be operating.

Page
81

Poulsbo / Port of Poulsbo Marina Moorage (SPB) / 83Q



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM


Navigation

Elevation: 0
Latitude: N 47° 44.04'
Longitude: W 122° 38.84'
PCL:
Runway: 13/31; 12000'x4000'; Water
Lights:
Indicator:
Obstacles:
From City: 00 N
TPA: 800'

Services

Fuel: None
Services: None
Manager: 360-779-9905

Prosser / Prosser / S40



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 108.4 PSC 244°
28.3 NM to field
FSS
UNICOM 122.8

Navigation

Elevation: 694'
Latitude: N 46° 12.80'
Longitude: W 119° 47.48'
PCL:
Runway: 07/25; 3440'x60'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 01 NW
TPA:

Services

Fuel: MOGAS 100LL
Services: Major Airframe and
Power Plant
Manager: 509-375-3060

Notes Right hand traffic on runway 25.

Page
83

Pullman-Moscow (Idaho) / Pullman-Moscow Regional / PUW



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP 123.95
ILS/DME
VOT
CL DEL
NAVAIDS 109.0 PUW 028°
6.3 NM to field
FSS 122.6
UNICOM 122.8
ASOS 135.675 /509-334-3222

Navigation

Elevation: 2555'
Latitude: N 46° 44.63'
Longitude: W 117° 06.58'
PCL: ACTVT HIRL CTAF
Runway: 05/23; 6730'x100'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Fence
From City: 03 NE
TPA:


Services

Fuel: A 80 100 100LL
Services: Major Airframe and
Power Plant
Manager: 509-334-4555

Notes Parachute and Glider operations in area.

Page
84

Puyallup / Pierce County-Thun Field / 1SO



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM)
APP/DEP 126.5
ILS/DME
VOT
CL DEL 121.85
NAVAIDS 109.6 TCM 087°
8.1 NM to field
FSS
UNICOM 122.7

Navigation

Elevation: 538'
Latitude: N 47° 06.24'
Longitude: W 122° 17.23'
PCL: Lights on Low INTST;
ACTVT HI INTST CTAFF
Runway: 16/34; 3650'x60'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 05 S
TPA:

Services


Fuel: 100 80
Services: Major Airframe and
Power Plant
Manager: 253-798-7109

Notes

Watch for birds. Ultralights prohibited.
Helicopter operations on field.

Page
85

Quillayute / Quillayute / UIL



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.2 TOU 151°
21.9 NM to field
FSS
UNICOM
ASOS 135.225 / 360-374-9731

Navigation

Elevation: 194'
Latitude: N 47° 56.20'
Longitude: W 124° 33.76'
PCL:
Runway: 04/22; 4980'x150'; Concrete
Lights:
Indicator: Wind
Obstacles: Brush
From City: 01 SW
TPA:

Services

Fuel: None
Services: None
Manager: 360-374-5412 ext. 243

Notes

Watch for pedestrians, vehicles, and animals on runway.

Page
86

Quincy / Quincy Municipal / 80T



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 111.0 EAT 108°
18.9 NM to field
FSS
UNICOM.....

Navigation

Elevation: 1271'
Latitude: N 47° 12.70'
Longitude: W 119° 50.39'
PCL:
Runway: 09/27; 3660'x50'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Road
From City: 02 SE
TPA:

Services

Fuel: None
Services: None
Manager: 509-750-4602

Notes None.

Page
87

Renton / Renton Municipal / RNT



Communications

ATIS 126.95
Tower 124.7
CTAF 124.7
Ground 121.6
NDB (LOM) 353 at field
APP/DEP 076 – 160° Rwy 15 119.2
..... 341 – 075° 119.2
..... 199 – 300° 120.1
..... 301 – 340° Rwy 33 120.4
..... 076 – 160° Rwy 33 125.9
..... 301 – 340° Rwy 15 125.9
..... 161 – 198° 126.5
ILS/DME
VOT
CL DEL
NAVAIDS 116.8 SEA 026°
..... 5.2 NM to field
FSS
UNICOM 122.95
ASOS 425-255-6080

Navigation

Elevation: 32'
Latitude: N 47° 29.59'
Longitude: W 122° 12.95'
PCL: CTAF
Runway: 15/33; 5382'x200';
Asphalt-Concrete
Lights: Dusk-dawn, NSTD
Indicator: Wind-L
Obstacles: Trees
From City: 00 NW
TPA:

Services

Fuel: A1+ 100LL
Services: Major Airframe and
Power Plant
Manager: 425-430-7318

Notes

Right hand traffic on runway 33.
Seaplane base NW corner. Numerous flocks of birds.

Page
88

Renton / Will Rogers/Wiley Post Memorial / W36



Communications

ATIS
Tower 124.7 (Renton Airport)
CTAF 124.7
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS.....
FSS
UNICOM..... 122.8

Navigation

Elevation: 14'
Latitude: N 47° 29.99'
Longitude: W 122° 13.16'
PCL:
Runway: 12/30; 5000'x200'; Water
Lights:
Indicator:
Obstacles:
From City: 01 N
TPA:
Services

Fuel: A1+ 100LL
Services: Major Airframe and
Power Plant
Manager: 425-430-7318

Notes

Right hand traffic on waterway 12. Flocks of waterfowl on lake.
Extensive boating and personal watercraft in vicinity.

Page
89

Republic / Ferry County / R49



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 360°
86.2 NM to field
FSS
UNICOM

Navigation

Elevation: 2519'
Latitude: N 48° 43.09'
Longitude: W 118° 39.37'
PCL: CTAF
Runway: 17/35; 3498'x60'; Asphalt
Lights: Dusk-dawn, NSTD, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 06 NE
TPA:

Services


Fuel: None
Services: None
Manager: 509-775-2101

Notes

Right hand traffic on runway 17.
Suggest use runway 35 for night operations.

Page
90

Richland / Richland / RLD



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM) 260 (RIBOO 4.3 NM)
APP/DEP 128.75 (Chinook)
ILS/DME 110.5
VOT
CL DEL 122.4
NAVAIDS 108.4 PSC 268°
8.3 NM to field
FSS
UNICOM 122.7

Navigation

Elevation: 391'
Latitude: N 46° 18.34'
Longitude: W 119° 18.25
PCL: CTAF
Runway: 19/01; 4009'x75'; Asphalt
07/25; 3995'x100'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 NW
TPA:

Services

Fuel: 80 100LL
Services: Minor Airframe and
Power Plant
Manager: 509-375-3060

Notes Right hand traffic on runways 19 and 25.

Page
91

Rimrock / Tieton State / 4S6



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM.....

Navigation

Elevation: 2961'
Latitude: 46° 38.27'
Longitude: 121° 07.42'
PCL:
Runway: 02/20; 2509'x140'; Turf
Lights:
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 02 S
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
369-651-6300


Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes

Watch for pedestrians, vehicles and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
92

Ritzville / Pru Field / 33S



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 209
40.9 NM to field
FSS
UNICOM 122.8

Navigation

Elevation: 1801'
Latitude: N 47° 07.39'
Longitude: W 118° 23.37'
PCL: CTAF
Runway: 01/19; 4089'x40'; Asphalt
Lights: Dusk-dawn, NSTD
Indicator: Wind-L
Obstacles: Powerlines, trees
From City: 01 W
TPA:

Services

Fuel: None
Services: None
Manager: 509-659-1930

Roche Harbor / Roche Harbor SPB / W39



Communications

ATIS
Tower
CTAF 128.25
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 0
Latitude: 48° 36.49'
Longitude: 123° 09.58'
PCL:
Runway: NE/SW; 5000'x1000'; Water
NW/SE; 2500'x500'; Water
Lights:
Indicator:
Obstacles:
From City: 00 SW
TPA:


Services

Fuel: None
Services: None
Manager: 360-317-6171

Notes Boats in landing and docking area.

Page
94

Rochester / R & K Skyranch / 8W9



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 123.0

Navigation

Elevation: 149'
Latitude: 46° 49.96'
Longitude: 123° 05.49'
PCL:
Runway: 16/34; 2480'x35'; Turf
18/36; 2750'x45'; Turf
Lights: NSTD
Indicator: Wind
Obstacles: Trees, fence
From City: 01 N
TPA:

Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager: 360-273-9893

Rogersberg / Rogersberg State / D69



Communications

ATIS
Tower
CTAF 122.9
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 850'
Latitude: 46-04-28N
Longitude: 116-57-58W
Runway: 09/27; 1500'x35'; Dirt
From City: 01 S

Services


Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes

Watch for pedestrians, vehicles, and animals on runway. Runway soft when wet, extremely rough. Closed November 1 thru March 1.

Page
96

Rosalia / Rosalia Municipal / 72S



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM.....


Navigation

Elevation: 2170'
Latitude: N 47° 14.21'
Longitude: W 117° 25.26'
PCL: 122.8
Runway: 02/20; 2780'x45'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Hill, road
From City: 02 W
TPA:

Services

Fuel: 100
Services: None
Manager: 509-526-1269

Rosario / Rosario SPB / W49



Communications

ATIS
Tower
CTAF 128.25
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 0
Latitude: 48° 38.74'
Longitude: 122° 52.08'
PCL:
Runway: 07/25; 2500'x1000'; Water
16/34; 10000'x1000'; Water
Lights:
Indicator:
Obstacles: Hill
From City: 00 S
TPA: 800'


Services

Fuel: None
Services: None
Manager: 360-376-2222

Notes None.

Page
98

Seattle / Boeing Field/King County International / BFI



Communications

ATIS 127.75
Tower 120.6 (128-308°)
..... 118.3 (309-127°)
CTAF 118.3
Ground 121.9
NDB (LOM) 362 NOLLA
APP/DEP 076° – 160° Rwy 13 119.2
..... 341° – 075° 119.2
..... 199° – 300° 120.1
..... 301° – 340° Rwy 31 120.4
..... 076° – 160° Rwy 31 125.9
..... 301° – 340° Rwy 13 125.9
..... 161° – 198° 126.5
ILS/DME 110.9
VOT 108.6
CL DEL 132.4
NAVAIDS 116.8 SEA 344°
5.7 NM to field
FSS 122.5
UNICOM 122.95
ASOS 206-763-6904

Navigation

Elevation: 18'
Latitude: N 47° 31.80'
Longitude: W 122° 18.12'
PCL:
Runway: 13L/31R; 3710'x100';
Asphalt
13R/31L; 10001'x200';
Asphalt
Lights: Dusk-dawn, Med, High
Indicator: Wind
Obstacles:
From City: 04 S
TPA: 13L/31R; 1018'
13R/31L; 818'


Services

Fuel: 100LL 80 A Set A
Services: Major Airframe and
Power Plant
Manager: 206-296-7380

Notes Right hand traffic on runways 13R and 31R.

Page
99

Seattle / Seattle-Tacoma International / SEA



Communications

ATIS 118.0
Tower 119.9
CTAF 119.9
Ground 121.7
NDB (LOM) (224 REDONDO)
APP/DEP 076° – 160° Rwy 16 119.2
..... 341° – 075° 119.2
..... 199° – 300° 120.1
..... 301° – 340° Rwy 34 120.4
..... 076° – 160° Rwy 34 125.9
..... 301° – 340° Rwy 16 125.9
..... 161° – 198° 126.5
ILS/DME 110.3 Rwy 34R/16L
..... 111.7 Rwy 16R/34L
VOT 117.5
CL DEL 128.0 (also pre-taxi CLNC)
NAVAIDS 116.8 at airport
FSS
UNICOM 122.95
ASOS 206-431-2834

Navigation

Elevation: 433'
Latitude: N 47° 26.94'
Longitude: W 122° 18.56'
PCL:
Runway: 16L/34R; 11901'x150';
Asphalt
..... 16R/34L; 9426'x150';
Concrete
Lights: Dusk-dawn, High
Indicator: Wind-L
Obstacles: None
From City: 10 S
TPA:

Services

Fuel: Jet A A1 100LL
Services: None
Manager: 206-433-4664

Sekiu / Sekiu / 11S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 355'
Latitude: N 48° 15.97'
Longitude: W 124° 18.84'
PCL:
Runway: 08/26; 2997'x50'; Asphalt
Lights: Dusk-dawn, Low
Indicator: Wind-L
Obstacles: Hill, trees
From City: 00 NW
TPA:

Services

Fuel: None
Services: None
Manager: 360-457-1138

Sequim / Sequim Valley / W28



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.2 TOU 079°
59.1 NM to field
FSS
UNICOM 122.700

Navigation

Elevation: 144'
Latitude: N 48° 05.89'
Longitude: W 123° 11.23'
PCL:
Runway: 09L/27R; 3500'x100'; Turf
09R/27L; 3510'x40';
Asphalt
Lights: Dusk-dawn, Low
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 04 NW

Services


Fuel: 100LL
Services: Major Airframe and
Power Plant
Manager: 360-683-8283

Notes

Right hand traffic on runways 09R and 09L.
Deer on and in vicinity of airport.

Page
102

Shelton / Sanderson Field / SHN



Communications

ATIS
Tower
CTAF 122.8
NDB (LOM) 348 MNC 232°
APP/DEP 120.1
ILS/DME
VOT
CL DEL
NAVAIDS 113.4 OLM 308°
UNICOM 122.8
ASOS 119.275 / 360-427-3835


Navigation

Elevation: 273'
Latitude: N 47° 14.01'
Longitude: W 123° 08.85'
PCL:
Runway: 05/23; 5005'x100'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 03 NW
TPA:

Services

Fuel: A 100LL 80
Services: Minor Airframe and
Power Plant
Manager: 360-426-1151

Skykomish / Skykomish State / S88



Communications

ATIS
Tower
CTAF 122.9
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 998'
Latitude: N 47° 42.40'
Longitude: W 121° 20.19'
PCL:
Runway: 06/24; 2048'x100'; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 01 E
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
104

Snohomish / Harvey Field / S43



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 123.0

Navigation

Elevation: 16'
Latitude: N 47° 54.49'
Longitude: W 122° 06.32'
PCL:
Runway: 14/32; 2660'x36'; Asphalt
Lights: Dusk-dawn, NSTD
Indicator: Wind
Obstacles: Powerlines
From City: 01 SW
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 360-568-1541

Notes

Right hand traffic on runway 14.
Caution: Parachute operations.

Page 105

South Bend (Raymond) / Willapa Harbor / 2S9



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 117.7 HQM 119°
20.2 NM to field
FSS
UNICOM


Navigation

Elevation: 16'
Latitude: N 46° 41.74'
Longitude: W 123° 49.33'
PCL: 122.8
Runway: 11/29; 3000'x52'; Asphalt
Lights: NSTD, Med
Indicator: Wind
Obstacles: Trees
From City: 02 NW
TPA:

Services

Fuel: 80
Services: None
Manager: 360-942-3422

Spanaway / Shady Acres / 3B8



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 445'
Latitude: N 47° 04.22'
Longitude: W 122° 22.27'
Runway: 34/16; 1800'x20'; Asphalt
Lights:
Indicator: Wind
Obstacles: Trees
From City: 03 SE
TPA:


Services

Fuel: None
Services: None
Manager: 253-847-0377

Notes Right hand traffic on runway 34.

Page
107

Spanaway / Spanaway / 3B8



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP Sea-126.5
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....


Navigation

Elevation: 373'
Latitude: N 47° 05.21'
Longitude: W 122° 25.88'
PCL:
Runway: 16/34; 2724'x20'; Asphalt
Lights: Dusk-dawn, NSTD, Low
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 01 S
TPA:

Services

Fuel: 100LL 80
Services: Major Airframe and
Power Plant
Manager: 253-847-0377

Spokane / Felts Field / SFF



Communications

ATIS 120.55
Tower 132.5
CTAF 132.5
Ground 121.7
NDB (LOM) 365 at field
APP/DEP 133.35
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 039°
14.2 NM to field
FSS 122.65
UNICOM 122.95
ASOS 509-624-3290

Navigation

Elevation: 1953'
Latitude: N 47° 40.97'
Longitude: W 117° 19.35'
PCL: CTAF
Runway: 03L/21R; 4500'x150';
Concrete
03R/21L; 3059'x75'; Asphalt
03W/21W; 6000'x100'; Water
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 04 NE
TPA:

Services


Fuel: A1+ 100 100LL
Services: Major Airframe and
Power Plant
Manager: 509-455-6419

Notes

Right hand traffic on runways 03R, 21R, and 21W. Seaplane operations advisory service only. Area not visible from tower.

Page
109

Spokane / Spokane International / GEG



Communications

ATIS 124.325
Tower 118.3
CTAF 118.3
Ground 121.9
NDB (LOM) 388 (PHORT 4.8 NM)
APP/DEP 133.35 (026 - 204°)
123.75 (205 - 025°)
ILS/DME 111.1 Rwy 21
VOT 109.6
CL DEL 127.55
NAVAIDS 115.5 GEG 028°
5 NM to field
FSS 122.65
UNICOM 122.95
ASOS 509-624-3290

Navigation

Elevation: 2372'
Latitude: N 47° 37.19'
Longitude: W 117° 32.00'
PCL:
Runway: 03/21; 9000'x150'; Asphalt
..... 07/25; 8199'x150'; Asphalt
Lights: Dusk-dawn, High, Med
Indicator: Wind-L
Obstacles:
From City: 05 SW
TPA:

Services

Fuel: A 100 100LL
Services: Major Airframe and
Power Plant
Manager: 509-455-6419

Notes Right hand traffic on runways 03 and 07.

Page
110

Stanwood / Camano Island Airfield / 13W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 145'
Latitude: N 48° 15.42'
Longitude: W 122° 26.21'
PCL:
Runway: 16/34; 1750'x24'; Asphalt
Lights:
Indicator: Wind
Obstacles: Trees
From City: 03 NW
TPA:


Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager: 360-629-4812

Notes Right hand traffic on runways 16 and 34.

Page
111

Starbuck / Little Goose Lock & Dam State / 16W



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM.....

Navigation

Elevation: 681'
Latitude: N 46° 34.99'
Longitude: W 118° 00.06'
PCL:
Runway: 07/25; 3400'x50'; Gravel
Lights:
Indicator: Wind
Obstacles:
From City: 07 NE
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.
Caution: Density Altitude.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
112

Stehekin / Stehekin State / 6S9



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 1230'
Latitude: N 48° 20.74'
Longitude: W 120° 43.24'
PCL:
Runway: 13/31; 2630'x80'; Turf
Lights:
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 03 NW
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.
Caution: Density altitude.

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Page
113

Sultan / Sky Harbor / S86



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 122.8

Navigation

Elevation: 282'
Latitude: N 47° 52.24'
Longitude: W 121° 47.54'
PCL:
Runway: 07/25; 1930'x100'; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 01 E
TPA: 1082'

Services

Fuel: None
Services: None
Manager: 360-793-3629

Notes

Avoid during high wind. Preferred runway wind permitting.
Land West, take off East.

Page
114

Sunnyside / Sunnyside Municipal / 1S5



▲ N

Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS 108.4 PSC 256°
 35.8 NM to field
FSS
UNICOM.....

Navigation

Elevation: 764'
Latitude: N 46° 19.66'
Longitude: W 119° 58.24'
PCL:
Runway: 07/25; 3543'x60'; Asphalt
Lights: Dusk-dawn, Low
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 02 E
TPA:

Services

Fuel: 100
Services: None
Manager: 509-837-5206

Tacoma / American Lake SPB / W37



American Lake

02/20; 5500'x500';

Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....


Navigation

Elevation: 235'
Latitude: N 47° 08.49'
Longitude: W 122° 33.66'
PCL:
Runway: 02/20; 5500'x500'; Water
Lights:
Indicator:
Obstacles:
From City: 07 S
TPA:

Services

Fuel: MOGAS 100LL
Services: Major Airframe and
Power Plant
Manager: 253-582-3777

Tacoma / Tacoma Narrows / TIW



Communications

ATIS 124.05
Tower 118.5
CTAF 118.5
Ground 121.8
NDB (LOM)
APP/DEP 120.1
ILS/DME 109.1 RWY 17
VOT
CL DEL
NAVAIDS 109.6 TCM 310°
8.9 NM to field
FSS
UNICOM 122.95
ASOS 253-858-6507

Navigation

Elevation: 292'
Latitude: N 47° 16.08'
Longitude: W 122° 34.69'
PCL: MALS & PAPI
..... Rwy 17 CTAF
Runway: 17/35; 5002'x150'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 04 W
TPA: 1300'

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 253-853-5844

Notes

Right hand traffic on runway 17.
Deer in vicinity of airport. Noise sensitive airport.

Page
117

Tekoa / Willard Field / 73S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 2513'
Latitude: N 47° 14.14'
Longitude: W 117° 02.59'
PCL: 122.8
Runway: 04/22; 2261'x40'; Asphalt
Lights: Dusk-dawn, NSTD, Med
Indicator: Wind
Obstacles:
From City: 02 NE
TPA:


Services

Fuel: None
Services: None
Manager: 509-245-3293

Notes

Caution: Parachute jumping. Powerline at east end.

The Dalles, Oregon / The Dalles Municipal / DLS



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.3 LTJ 185°
6.4 NM to field
FSS 122.65
UNICOM 123.0
ASOS 135.175 / 509-773-1726

Navigation

Elevation: 247'
Latitude: N 45° 37.11'
Longitude: W 121° 10.04'
PCL: 123.0
Runway: 12/30; 5097'x150'; Asphalt
07/25; 4647'x150'; Asphalt
02/20; 4401'x150'; Asphalt
Lights:
Indicator: Wind
Obstacles:
From City: 02 NE
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 541-296-5481

Notes

Airport located in Washington on north side of Columbia River.

Page
119

Toledo / Toledo - Winlock - Ed Carlson Memorial / TDO



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM) OTS Indef.
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 113.4 OLM 153°
29.9 NM to field
FSS
UNICOM


Navigation

Elevation: 375'
Latitude: N 46° 28.63'
Longitude: W 122° 48.41'
PCL: CTAF
Runway: 05/23; 4960'x150'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Fence
From City: 03 N
TPA:

Services

Fuel: 100 80
Services: Major Airframe and
Power Plant
Manager: 360-740-1146

Tonasket / Tonasket Municipal / W01



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 112.6 EPH 338°
80.9 NM to field
FSS
UNICOM.....

Navigation

Elevation: 1340'
Latitude: N 48° 43.46'
Longitude: W 119° 27.92'
PCL: CTAF
Runway: 15/33; 3053'x50'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Hill
From City: 02 NW
TPA:

Services

Fuel: None
Services: None
Manager: 509-486-2132

Notes Right hand traffic on runway 15.
Mountains surround airport.

Page
121

Twisp / Twisp Municipal / 2SO



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 1597'
Latitude: N 48° 21.03'
Longitude: W 120° 05.64'
PCL: CTAF
Runway: 10/28; 2701'x36'; Asphalt
Lights: Med
Indicator: Wind
Obstacles: Trees
From City: 01 SE
TPA:

Services


Fuel: None
Services: None
Manager: 509-997-7777

Notes

Mountainous terrain surrounds airport.
Deer and pedestrians in vicinity.

Page
122

Vancouver / Evergreen Field / 59S



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL 121.65 (Portland)
NAVAIDS
FSS 122.35
UNICOM 122.7

Navigation

Elevation: 310'
Latitude: N 45° 37.32'
Longitude: W 122° 31.75'
PCL:
Runway: 10L/28R; 2155'x40'; Asphalt-Gravel
10R/28L; 2000'x100'; Turf
Lights: Dusk-dawn, Low, NSTD
Indicator: Wind-L
Obstacles: Trees
From City: 05 E
TPA: 910'

Services

Fuel: 80
Services: Major Airframe and Power Plant
Manager: 360-892-2155

Notes

None.
Enter and exit Traffic Pattern from NE only.

Page
123

Vancouver / Fly For Fun / W56



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 275'
Latitude: N 45° 41.24'
Longitude: W 122° 31.32'
PCL:
Runway: 07/25; 2434'x50; Turf
Lights: NSTD
Indicator: Wind
Obstacles: Powerlines
From City: 04 NE
TPA: 1075'

Services

Fuel: None
Services: None
Manager: 360-253-4850

Notes

Right hand traffic on runway 07.
Airport is closed Christmas and Easter.

Page
124

Vancouver / Pearson Field / VUO



Communications

ATIS
Tower Portland 119.0
Tower Off CTAF 123.0
Ground
NDB (LOM)
APP/DEP 118.1 / 124.35
ILS/DME
VOT
CL DEL 121.65
NAVAIDS
FSS 122.35
UNICOM 123.0
ASOS 135.125 / 360-696-1280
CTAF 123.0

Navigation

Elevation: 25'
Latitude: N 45° 37.23'
Longitude: W 122° 39.39'
PCL:
Runway: 08/26; 3275'x60'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 SW
TPA: 1025'

Services


Fuel: 100 80
Services: Major Airframe and
Power Plant
Manager: 360-696-8446

Notes

Right hand traffic on runway 26. Bridge towers 0.5 SW.
Prior to arrival and departure, contact Portland tower 119.0.

Page
125

Vashon / Vashon Municipal / 2S1



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 317'
Latitude: N 47° 27.49'
Longitude: W 122° 28.64'
PCL:
Runway: 17/35; 1940'x60';
Turf-Gravel
Lights: Dusk-dawn, NSTD
Indicator: Wind-L
Obstacles: Trees
From City: 01 NW
TPA: 1300'

Services


Fuel: None
Services: Minor
Manager: 206-432-1638

Notes

Night operations only for pilots familiar with airport. Close in obstructions. Helipad for emergency use only. Right hand traffic Rwy 17.

Page
126

Walla Walla / Walla Walla Regional / ALW



Communications

ATIS
Tower 118.5
CTAF 118.5
Ground 121.6
NDB (LOM) 353
APP/DEP 133.15
ILS/DME 111.7 Rwy 20
VOT.....
CL DEL.....
NAVAIDS 116.4 ALW at field
FSS 122.3
UNICOM..... 122.95
ASOS 135.875 / 509-525-3014

Services

Fuel: A 100LL 80
Services: Major Airframe and
Power Plant
Manager:..... 509-525-3100

Navigation

Elevation: 1191'
Latitude:..... N 46° 05.69'
Longitude:..... W 118° 17.27'
PCL: CTAFAF
Runway:..... 02/20; 6526'x150'; Asphalt
07/25; 4500'x150';
Asphalt-Concrete
16/34; 5949'x150';
Asphalt-Concrete
Lights:..... Dusk-dawn, High
Indicator:..... Wind-L; Seg circle
Obstacles:
From City: 03 NE
TPA:

Notes Caution: Parachute jumping in vicinity of airport.

Page
127

Warden / New Warden / 2S4



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....


Navigation

Elevation: 1265'
Latitude: N 46° 57.92'
Longitude: W 119° 03.99'
PCL:
Runway: 17/35; 3131'x40';
Asphalt-Gravel
Lights: Dusk-dawn, NSTD
Indicator: Wind-L
Obstacles:
From City: 01 W
TPA:

Services

Fuel: None
Services: None
Manager: 509-349-2033

Waterville / Waterville / 2S5



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 282°
30.7 NM to field
FSS
UNICOM.....


Navigation

Elevation: 2640'
Latitude: N 47° 39.36'
Longitude: W 120° 03.39'
PCL:
Runway: 07/25; 2978'x50'; Asphalt
Lights: Dusk-dawn, NSTD, Med
Indicator: Wind
Obstacles:
From City: 01 NE
TPA:

Services

Fuel: 100 LL
Services: None
Manager: 509-884-4700

Wenatchee / Pangborn Memorial / EAT



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 111.0 EAT at field
FSS 122.6
UNICOM 123.0
ASOS 119.925 / 509-886-4226

Navigation

Elevation: 1249'
Latitude: N 47° 23.93'
Longitude: W 120° 12.41'
PCL: CTAF
Runway: 07/25; 4460'x150'; Asphalt
12/30; 5500'x150'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles:
From City: 04 E
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 509-884-2494

Notes

Right hand traffic on runways 07 and 12.
AWOS 135.075

Page
130

Westport / Westport / 14S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 08'
Latitude: N 46° 53.84'
Longitude: W 124° 06.04
PCL: CTAF
Runway: 12/30; 2250'x50'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles:
From City: 01 N
TPA:


Services

Fuel: None
Services: None
Manager: 360-268-0131

Notes Right hand traffic on runway 30.

Page
131

Wilbur / Wilbur Municipal / 2S8



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 112.6 EPH 030°
35.7 NM to field
FSS
UNICOM.....

Navigation

Elevation: 2178'
Latitude: N 47° 45.25'
Longitude: W 118° 44.59'
PCL: CTAF
Runway: 02/20; 3119'x35'; Asphalt
Lights: Med
Indicator: Wind-L
Obstacles:
From City: 02 SW
TPA:

Services

Fuel: A 100LL
Services: None
Manager: 509-647-2441

Notes None.

Page
132

Wilson Creek / Wilson Creek / 5W1



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 0.56°
12.9 NM to field
FSS
UNICOM

Navigation

Elevation: 1440'
Latitude: N 47° 25.49'
Longitude: W 119° 06.90'
PCL:
Runway: 10/28; 3074'x50'; Asphalt
Lights:
Indicator: Wind
Obstacles:
From City: 01 E
TPA:

Services

Fuel: None
Services: None
Manager: 509-345-2350

Winthrop / Methow Valley State / S52



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 314°
69.1 NM to field
FSS
UNICOM 122.8

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.
Caution: Fire Fighting Base.

Navigation

Elevation: 1694'
Latitude: 48-25-30N
Longitude: 120-08-45W
PCL: CTAF
Runway: 13/31; 5049'x75'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles:
From City: 03 SE
TPA: 2494'


Services

Fuel: A + 100
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State Only)
360-651-6300

Notes Heavy aircraft operations summer months.
Watch for pedestrians, vehicles and animals on runway.

Page
134

Woodland / Woodland State / W27



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 24'
Latitude: 45-53-54N
Longitude: 122-44-14W
PCL:
Runway: 14/32; 1953'x25'; Asphalt
Lights: Dusk-dawn, Low
Indicator: Wind
Obstacles:
From City: 01 SE
TPA: 824'

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State Only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes Right hand traffic on runway 14. Use at own risk.
Watch for pedestrians, vehicles and animals on runway.

Page
135

Yakima / McAllister Field / YKM



Communications

ATIS 125.25
Tower 133.25
CTAF 133.25
Ground 121.9
NDB (LOM) 371
APP/DEP 123.8
ILS/DME 110.1 RWY 27
VOT
CL DEL 121.9
NAVAIDS 116.0 YKM 247°
4.1 NM to field
FSS 122.5
UNICOM..... 122.95
ASOS 509-248-1502

Navigation

Elevation: 1095'
Latitude: N 46° 34.09'
Longitude: W 120° 32.39'
PCL: CTAF
Runway: 04/22; 3835'x150'; Asphalt
09/27; 7603'x150'; Asphalt
Lights: Dusk-dawn, Med, High
Indicator: Wind-L; Seg circle
Obstacles:
From City: 03 S
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 509-575-6149

Notes None.

Page
136

Yelm / Western Airpark / 92W



Communications

ATIS
Tower
CTAF
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM..... 122.8

Navigation

Elevation: 390'
Latitude: N 46° 55.50'
Longitude: W 122° 33.18'
PCL:
Runway: 09/27; 2845'x30'; Asphalt
Lights: Yes, NSTD
Indicator: Yes, Wind
Obstacles: Trees
From City:
TPA:

Services

Fuel: None
Services: None
Manager: 360-458-5878

Notes

Caution: Military Operations and MOAs North and West.

Page
137

ELT Reporting Instructions

WSDOT Aviation handles about 400 non-distress signals each year. These signals require an effort with expense for our volunteer search and rescue force. You can help us in two ways. First, listen on 121.5 just before you shut down your aircraft to see if you have accidentally activated your ELT. Needless to say, you will also hear one close by if it is from another aircraft. The second thing you can do periodically during your flight is listen to 121.5 and see if you hear anything. If you do, either on the ground or in the air, please do the following:

Hearing It On The Ground

If you are on the ground and hear it, please call Flight Service (800) WXBRIFT and tell them where you are and what you hear. It's pretty simple to send a SAR volunteer or an airport representative if we know the airport.

Hearing It In The Air

1. If you are airborne, note your current location and altitude (the higher up you are the further you can hear an ELT; this helps us draw a circle of probability).

2. If you have GPS, latitude and longitude are just absolutely super. If you don't have GPS, then try and give us a VOR, radial, and DME where you are hearing it.
3. If you are working the air route traffic control center or approach control, then pass the data on to them. They will make sure the information gets processed through the SAR response system.
4. If you are not working air traffic control, then give the information to either Flight Watch or Flight Service for them to pass on.
5. If you are unable to establish radio contact, then please call Flight Service Station as soon as you land and pass on the information.

Please note that even though other pilots may have reported the ELT, multiple airborne reports help us narrow down the area of probability.

Wildfire Reporting Instructions

Private and commercial pilot reports of wildfire have played a major role in helping land management agencies protect the timber, wildlife, wilderness, and other property values in Washington State from wildfire.

If you cannot report the fire via radio, upon arrival, please call (800) 562-6010 (toll free from anywhere in Washington State) and furnish the following information:

1. If possible, contact the Seattle Air Route Traffic Control Center, Approach Control, nearest Airport Traffic Control Tower, Flight Service Station, or Flight Watch and report the geographic location of the fire.
2. If possible, give latitude and longitude from a GPS or LORAN receiver.
3. Alternative method is VOR and DME.
4. Please give the approximate size of the fire, estimate the best you can. If you can't estimate acres, use other comparisons such as the size of a football field.
5. Fire behavior, lots of open flame or smoldering. Heavy smoke or no smoke.
6. If possible, report what is burning, slash, brush, mature trees, etc.
7. Do you notice any personnel, logging equipment, fire trucks etc. around the site?

Your timely reporting of the fire helps keep fire and suppression costs within manageable limits. Thank you for your cooperation.

Federal Offices

National Transportation Safety Board..... (206) 870-2200
19418 Pacific Highway South
Seattle, WA 98188

Portland Flight Standards District Office..... (503) 221-2104
3355 Northeast Cornell Road
Hillsboro, OR 97123

Seattle Flight Standards District Office..... (Toll-free) 1 800 354-1940
1601 Lind Avenue SW
Renton, WA 98055-4056

Spokane Flight Standards District Office..... (Toll-free) 1 800 341-2623
6133 E. Rutter Avenue
Spokane, WA 99212

